

1. Here is a line of math formulas: $\overline{A} = A$, $A' \subset A$, $A \cap A' = \emptyset$ and A^c is open.

2. list items one by one in a new line

- (1) $A' \subset A$
- (2) $A \cap A' = \emptyset$
- (3) A^c is open
- (4) $\overline{A} = A$

As you see, there is no problem at all.

But if we list the same formulas using columns, then there is a baseline problem.

3. list items in 4 columns

- (1) $A' \subset A$
- (2) $\overline{A} = A$
- (3) $A \cap A' = \emptyset$
- (4) A^c is open

4. list items in 2 columns

- (1) $\overline{A} = A$
- (2) $A' \subset A$
- (3) $A \cap A' = \emptyset$
- (4) A^c is open

- (1) $A' \subset A$
- (2) $\overline{A} = A$
- (3) $A \cap A' = \emptyset$
- (4) A^c is open

- (1) $A' \subset A$
- (2) $A \cap A' = \emptyset$
- (3) $\overline{A} = A$
- (4) A^c is open

- (1) $A' \subset A$
- (2) $A \cap A' = \emptyset$
- (3) A^c is open
- (4) $\overline{A} = A$

- (1) $\overline{\{a\}} = \{a\}$
- (3) $\overline{\{c\}} = \{b, c, d\}$

- (2) $\overline{\{b\}} = \{b, e\}$
- (4) $\overline{\{d\}} = \{b, c, d, e\}$